

RECOLECCIÓN LUIS MARIA PRIETO x

mail.google.com/mail/u/0/#inbox/FMfcgzGkXmhwjNLdfrjchWqhghkPTTdC

Aplicaciones OSCC Campaign Di... GMAIL WhatsApp Gomedisys EI GESTION CITAS IPS de Formulación ADRES SMS Oxipro https://enlinea.fami... Nueva EPS S.A

Google

Redactar

Recibidos 11

Destacados

Pospuestos

Importantes

Enviados

Borradores 1

Categorías

- 1. FAMISANAR
- 2. NEPS 4
- 2.1 NUEVA EJE
- 3. SERVISALUD 4

Meet

- Nueva reunión
- Mis reuniones

Hangouts

- Call Center

No hay chats recientes

para MARGARET, mi, Constanza

Buenas noches.

Por favor programar el retiro de los equipos de oxígeno, pasa a manejo de alto flujo. Quedo atento a cualquier comentario o novedad, gracias.

Santiago Guevara
Coordinador de Oxígeno Compensar

The information contained in this email and any attachments may be confidential and is provided solely for the use of the intended recipient(s). If you are not the intended recipient, you are hereby notified that any disclosure, distribution, or use of this e-mail, its attachments or any information contained therein is unauthorized and prohibited. If you have received this in error, please contact the sender immediately and delete this e-mail and any attachments. No responsibility is accepted for any virus or defect that might arise from opening this e-mail or attachments, whether or not it has been checked by anti-virus software.
Please find the data protection notices of EU based Linde Group companies on this website: dataprotection.linde.com

[Mensaje recortado] [Ver todo el mensaje](#)

o2 luis maria prieto...

Responder Responder a todos Reenviar

Activar Windows
Ve a Configuración para activar Windows

12°C Muy nublado 6:46 17/06/2021